

## **2019 ANNUAL REPORT**

### **TOWN OF WINTERVILLE COLLECTION SYSTEM**

#### **PERMIT: WQCS00117**

The Clean Water Act of 1999 requires wastewater collection systems to provide an annual report to their customers. This report summarizes the performance of the Town of Winterville's wastewater collection system for the 12-month period from January 1, 2019 to December 31, 2019.

The Town of Winterville operates a wastewater collection system under permit WQCS00117, issued by the Division of Water Quality, NC Department of Environment and Natural Resources. The permit was issued on March 4, 2013 and is valid from June 1, 2013 until March 31, 2021. This system consists of approximately 49.50 miles of gravity sewer, approximately 1.4 miles of pressure sewer, approximately 12.7 miles of force main, 23 duplex pump stations, 66 simplex pump stations that discharge to a pressure sewer and serve a single building, and all the associated piping, valves, and appurtenances necessary to operate a wastewater collection system for the Town of Winterville.

Wastewater collected by this system is pumped to the Contentnea Metropolitan Sewerage District (CMSD) wastewater treatment plant in Grifton via a fourteen inch diameter force main, where it is treated prior to discharge into Contentnea Creek. CMSD operates under permit number NC0032077.

During the year 2019, the Town of Winterville system collected 242,556,000 gallons of wastewater, an average of 664,537 gallons per day. The Town did not have any Sanitary Sewer Overflows (SSO) in 2019. The Town has recently completed several sanitary sewer rehab projects which have decreased the amount of inflow and infiltration into the Town's sewer system and likely contributed to the lack of SSO's.

Our 23 pump stations are visited and inspected three times a week to ensure that they are operating correctly. Each of the 23 pumping stations is equipped with two pumps that alternate in operation and provide redundancy for emergencies. The Town also has backup generators and by-pass pumps which can quickly be mobilized to the lift stations in case of a power failure.

Over the last 12 months, many upgrades have been made to our existing collection system and lift stations including replacing pumps and impellers, replacing worn electrical components such as starters, and making point repairs to eliminate infiltration. The Town also is preparing for the construction of another Sanitary Sewer Rehab project which will include removing and replacing some of the oldest sewer mains in Town and lining many others that were determined to have high infiltration rates by the Engineer's evaluation. By eliminating these issues, the Town will be better prepared to handle large flows during heavy rain events and prevent future SSO's.

To help reduce the grease build up in the town's collection system each lift station is cleaned a minimum of once a quarter. In addition, a minimum of 10 percent of the gravity sewer mains are cleaned per year.

Hard copies of this report are available at Winterville Town Hall located at 2571 Railroad Street, as well as online at [www.wintervillenc.com](http://www.wintervillenc.com). Should you have any questions, please contact the Public Works Department, by mail at P.O.Box 1459, Winterville, N.C. 28590; by telephone at 252.215.2427; or visit us at [www.wintervillenc.com](http://www.wintervillenc.com).

This report is accurate and complete to the best of my knowledge.

Travis Welborn, PE  
Public Works Director  
Town of Winterville